

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|--------------------------|------------------|---------|------------------|
| L1 | 363 | martinez-juan-carlo.in. philipp-ralf.in. sommerlade-frank.in. (SAP adj AKTIENGESELLSCHAFT).as. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/20 12:53 |
| L2 | 363 | martinez-juan-carlo.in. philipp-ralf.in. sommerlade-frank.in. (SAP adj AKTIENGESELLSCHAFT).as. | US-PGPUB; USPAT | OR | ON | 2008/05/20 12:53 |
| L3 | 362 | l2 and data | US-PGPUB; USPAT | OR | ON | 2008/05/20 12:54 |
| L4 | 96597 | 709/232.ccls. 370/229-546.ccls. 710/61.ccls. | US-PGPUB; USPAT | OR | ON | 2008/05/20 12:58 |
| L5 | 4225690 | translate format change customiz\$4 customis\$4 re\$1format\$3 arrang\$4 configur\$3 re\$1configur\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/20 12:59 |
| L6 | 96597 | 709/232.ccls. 370/229-546.ccls. 710/61.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/20 12:59 |
| L7 | 231 | L6 and (L5 same ((code program routine instruction subroutine) same (automatic automat\$3)) same (client desktop user) same (data indexes indices information file record note)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/20 12:59 |
| L8 | 119 | L7 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/05/20 12:59 |
| L9 | 2482 | (api or application\$1programming\$1interface\$1 xsl extensible\$1stylesheet\$1language).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/20 13:00 |
| L10 | 28 | L9 and ((translat\$5 transform\$5 conver\$4) with ((code program) adj (generat\$4 construct\$3 producer))) | US-PGPUB; USPAT | OR | ON | 2008/05/20 13:00 |
| S1 | 1 | "20050204055".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 07:47 |
| S2 | 1 | "20040015366" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 08:21 |
| S3 | 1 | "20040015366".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 08:21 |
| S5 | 3431 | xsl | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:24 |
| S6 | 3788 | xsl or (Extensible adj Stylesheet adj Language) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:25 |
| S7 | 3788 | xsl or (Extensible adj Stylesheet adj Language) Extensible-Stylesheet-Language | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:25 |

EAST Search History

| | | | | | | |
|-----|---------|--|--------------------------------|----|----|------------------|
| S8 | 4035947 | translate format change customiz\$4 customis\$4 re\$1format\$3 arrang\$4 configur\$3 re\$1configur\$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:28 |
| S9 | 133 | S7 and (S8 same ((code program routine instruction subroutine) same (automatic automat\$3)) same (client desktop user) same (data indexes indices information file record note)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:35 |
| S10 | 63 | S9 and @ad< "20040312" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 13:36 |
| S11 | 89454 | 709/232.ccls. 370/229-546.ccls. 710/61. ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 14:38 |
| S12 | 205 | S11 and (S8 same ((code program routine instruction subroutine) same (automatic automat\$3)) same (client desktop user) same (data indexes indices information file record note)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 14:39 |
| S13 | 112 | S12 and @ad< "20040312" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 14:40 |
| S14 | 1 | "6772413".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 15:29 |
| S15 | 65 | ("4754428" "5142622" "5239662" "5283887" "5315710" "5428771" "5509121" "5530842" "5535373" "5546584" "5557776" "5557780" "5630101" "5638517" "5680552" "5694580" "5706434" "5708778" "5708828" "5729755" "5740374" "5758194" "5778189" "5787255" "5793958" "5812766" "5825774" "5826017" "5826219" "5835789" "5841985" "5852660" "5916305" "5918063" "5940075" "5943481" "5951645" "5961594" "5966545" "5987256" "5991539" "6006267" "6009471" "6014712" "6021275" "6032147" "6034963" "6038565" "6125391" "6195662" "6195664" "6226675" "6295541" "6336124" "6377952" "6411395" "6463445" "6488209" "6502236" "6507857" "6532473" "6601056" "6654950" "6671701" "6687873").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/11/26 15:39 |
| S16 | 18 | ("6772413").URPN. | USPAT | OR | ON | 2007/11/26 15:41 |
| S20 | 3 | S15 and xsl | US-PGPUB; USPAT; USOCR | OR | ON | 2007/11/26 15:43 |

EAST Search History

| | | | | | | |
|-----|--------|---|--------------------------------|----|----|------------------|
| S21 | 1 | "6681383".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/11/26 15:45 |
| S22 | 1 | "7137100".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/11/26 15:57 |
| S23 | 111 | S13 not S10 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:03 |
| S24 | 106 | automat\$4 same translats\$3 same code same generator | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:07 |
| S25 | 74 | S24 and ((client or user) same (format or data)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:09 |
| S26 | 47 | S25 and @ad<"20040312" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:09 |
| S27 | 0 | S26 and S7 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:09 |
| S28 | 0 | "2002010014".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:38 |
| S29 | 1 | "20020100014".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:38 |
| S30 | 0 | "20020062475.pn" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:47 |
| S31 | 1 | "20020062475".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:48 |
| S32 | 0 | S31 and (transla\$3 adj data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:48 |
| S33 | 1 | S31 and ((transla\$3 or format or change or arrange or configure or reconfigure) adj data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 16:49 |
| S34 | 612631 | (code program routine instruction subroutine) same (generator creator maker producer constructor) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) (data file message) same (format structure layout) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 17:02 |

EAST Search History

| | | | | | | |
|-----|--------|---|--------------------------------|----|----|------------------|
| S35 | 612020 | ((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) (data file message) same (format structure layout) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 17:07 |
| S36 | 209256 | ((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) ((data file message) adj (format structure layout)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 17:08 |
| S37 | 26982 | S36 and (S6 or xml or (extensible adj markup adj language) or extensible-markup-language) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 17:19 |
| S38 | 1844 | S36 and (S6 or xml or (extensible adj markup adj language) or extensible-markup-language).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/26 17:19 |
| S39 | 3792 | xsl or (Extensible adj Stylesheet adj Language) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:42 |
| S40 | 209514 | ((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) ((data file message) adj (format structure layout)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:42 |
| S41 | 115 | ((translation) same S40) and (S39 or xml or (extensible adj markup adj language) or extensible-markup-language).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:42 |
| S42 | 231 | ((translat\$3 same S40) and (S39 or xml or (extensible adj markup adj language) or extensible-markup-language).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:43 |
| S43 | 164 | S42 and @ad< "20040312" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:44 |
| S44 | 6 | translation adj code adj generator | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 08:53 |
| S45 | 14 | (code adj generator) with (client and data and format) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:03 |
| S46 | 14 | ((code adj generator) with (client and data and format)) and (transmit\$3 send\$3 request\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:18 |
| S47 | 1 | ((translat\$3 with (code adj generator)) with (client and data and format)) and (transmit\$3 send\$3 request\$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:20 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------------|----|-----|------------------|
| S48 | 2182 | (api or application\$1programming\$1interface\$1).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:23 |
| S49 | 2283 | (api or application\$1programming\$1interface\$1 xsl extensible\$1stylesheet\$1language).ab. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:24 |
| S50 | 25 | S49 and (((translat\$5 transform\$5 conver\$4) with (((code program) adj (generat\$4 construct\$3 producer)))) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/11/27 09:38 |
| S53 | 0 | ("martinez-juan.in.philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as.").PN. | US-PGPUB; USPAT; USOCR; EPO | OR | OFF | 2007/12/04 18:16 |
| S54 | 0 | ("martinez-juan.in.philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as.").PN. | US-PGPUB; USPAT; USOCR; EPO | OR | OFF | 2007/12/04 18:16 |
| S55 | 5 | martinez-juan.in. philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/12/04 18:16 |
| S56 | 1 | "3367326".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/13 19:17 |